

# Starlette Plus

The small range of refrigeration dryers



The application of high-quality air ensures continuity and reliability of industrial applications, the highest quality standards for finished products and the optimisation of production costs. Parker Hiross offers a range of refrigerated air drying solutions using advanced refrigeration technology. Starlette Plus is Parker Hiross' answer to the specific needs of the industrial user. Starlette Plus safeguards continuous performance and superior efficiency in every industrial compressed air application. It can easily be adapted to suit all working conditions, maintaining reliable dewpoint control and the lowest possible pressure drops and operating costs. With its state-of-the-art PlusPack heat exchangers (patent pending) and the most compact dimensions of any system in its class, Starlette Plus is the superior choice for any compressed air treatment application.



## Contact Information:

Parker Hiross S.p.A.  
Strada Zona Industriale 4  
S. Angelo di Piove PD  
Italy

**Tel:** +39 049 9712 217  
**Fax:** +39 049 9701 911  
**Email:** [info@parker.com](mailto:info@parker.com)

[www.dh-hiross.com](http://www.dh-hiross.com)

## Product Features:

- Extremely compact
- Low operating costs
- Environmentally friendly
- High operating limits

## Philosophy

Parker Hiross specialises in cooling, purification, and separation technologies, where compressed air and gas purity, product quality, technological excellence and global support are paramount. We design and manufacture compressed air treatment products and cooling equipment for many key industries where ease of integration, low cost of ownership and energy saving can make the difference.

Parker Hiross has been supplying industry with high efficiency products with low lifetime costs and reduced CO<sub>2</sub> emissions since 1964. Our philosophy 'to stand out from the crowd' is our credo, encouraging our employees to achieve continuous improvement and satisfy customer expectations.



ENGINEERING YOUR SUCCESS.



**PlusPack 3-in-1 heat exchangers** (patent pending), in solid aluminium with air-to-air freecooler exchanger, evaporator and 'slow flow' demister separator and integrated air connections.



**Features:**

- Reliable air-tight piston compressors which do not require preheating.
- Simple and secure refrigeration circuits which do not require adjustment during operation and undergo vigorous quality testing in production.
- Large adjustable condenser and fan compartments to guarantee optimum performance even in extreme conditions.
- Security protection in the refrigeration circuit, increasing reliability and safeguarding the air dryer.
- Simple disassembly, with easy access to the internal components for efficient maintenance.
- Drain positioned in a niche, allowing easy access without the need to remove the top panel.

# Technical data


Model	technical data				dimensions (mm)			weight (kg)	Pre filter	Post filter
	air flow		abs. power	air	width	height	depth			
	m³/h	m³/min	kW	conec.	A	B	C			
SPL002	12	0,2	0,12	1/2"	450	430	210	19	HFN005Q	HFN005P
SPL004	24	0,4	0,13	1/2"	450	430	210	19	HFN005Q	HFN005P
SPL006	36	0,6	0,17	1/2"	450	430	210	19	HFN010Q	HFN010P
SPL009	54	0,9	0,25	1/2"	500	505	210	23,5	HFN010Q	HFN010P
SPL012	72	1,2	0,25	1/2"	500	505	210	23,5	HFN018Q	HFN018P
SPL018	108	1,8	0,49	3/4"	520	565	225	26,5	HFN022Q	HFN022P
SPL024	144	2,4	0,57	3/4"	520	565	225	31	HFN030Q	HFN030P
SPL030	180	3,0	0,78	3/4"	520	565	225	35	HFN030Q	HFN030P
SPL040	240	4,0	0,71	1 1/2"	555	600	425	52	HFN045Q	HFN045P
SPL050	300	5,0	0,85	1 1/2"	555	600	425	58	HFN062Q	HFN062P
SPL060	360	6,0	1,05	1 1/2"	555	600	425	60	HFN062Q	HFN062P

Performances refer to air at FAD 20°C / 1 bar A, and at the following working conditions: air suction 25°C / 60%RH, 7 barg working pressure, pressure dew point in accordance with class 6 of DIN ISO8573-1, 25°C cooling air temperature, 35°C compressed air inlet temperature. All indicated data refers to DIN ISO 7183. All models supplied with refrigerant R134a and for operation up to 16 barg. Starlette Plus can operate up to ambient temperatures of 50°C and inlet temperatures of 65°C.

## Air flow correction factors for differing working conditions

A) Working pressure correction factors	barg	3	4	5	6	7	8	9	10	11	12	13	14	15	16
		<b>0,73</b>	<b>0,83</b>	<b>0,9</b>	<b>0,95</b>	<b>1</b>	<b>1,03</b>	<b>1,07</b>	<b>1,09</b>	<b>1,12</b>	<b>1,13</b>	<b>1,15</b>	<b>1,17</b>	<b>1,18</b>	<b>1,19</b>
B) Ambient temperature correction factors	°C	20	25	30	35	40	45	50							
		<b>1,05</b>	<b>1</b>	<b>0,94</b>	<b>0,88</b>	<b>0,81</b>	<b>0,75</b>	<b>0,68</b>							
C) Air inlet temperature correction factors	°C	30	35	40	45	50	55	60	65						
		<b>1,22</b>	<b>1</b>	<b>0,83</b>	<b>0,69</b>	<b>0,58</b>	<b>0,49</b>	<b>0,46</b>	<b>0,43</b>						

To obtain the actual air flow multiply the nominal air flow by the above correction factors (ie. Air flow x A x B x C).  
For a precise selection always refer to the software selection program or contact your Parker Hiross partner.



# Parker Worldwide

**AE – UAE**, Dubai  
Tel: +971 4 8127100  
parker.me@parker.com

**AR – Argentina**, Buenos Aires  
Tel: +54 3327 44 4129

**AT – Austria**, Wiener Neustadt  
Tel: +43 (0)2622 23501-0  
parker.austria@parker.com

**AT – Eastern Europe**,  
Wiener Neustadt  
Tel: +43 (0)2622 23501 900  
parker.easteurope@parker.com

**AU – Australia**, Castle Hill  
Tel: +61 (0)2-9634 7777

**AZ – Azerbaijan**, Baku  
Tel: +994 50 2233 458  
parker.azerbaijan@parker.com

**BE/LU – Belgium**, Nivelles  
Tel: +32 (0)67 280 900  
parker.belgium@parker.com

**BR – Brazil**, Cachoeirinha RS  
Tel: +55 51 3470 9144

**BY – Belarus**, Minsk  
Tel: +375 17 209 9399  
parker.belarus@parker.com

**CA – Canada**, Milton, Ontario  
Tel: +1 905 693 3000

**CH – Switzerland**, Etoy  
Tel: +41 (0) 21 821 02 30  
parker.switzerland@parker.com

**CL – Chile**, Santiago  
Tel: +56 2 623 1216

**CN – China**, Shanghai  
Tel: +86 21 5031 2525

**CZ – Czech Republic**, Klecany  
Tel: +420 284 083 111  
parker.czechrepublic@parker.com

**DE – Germany**, Kaarst  
Tel: +49 (0)2131 4016 0  
parker.germany@parker.com

**DK – Denmark**, Ballerup  
Tel: +45 43 56 04 00  
parker.denmark@parker.com

**ES – Spain**, Madrid  
Tel: +34 902 33 00 01  
parker.spain@parker.com

**FI – Finland**, Vantaa  
Tel: +358 (0)20 753 2500  
parker.finland@parker.com

**FR – France**, Contamine s/Arve  
Tel: +33 (0)4 50 25 80 25  
parker.france@parker.com

**GR – Greece**, Athens  
Tel: +30 210 933 6450  
parker.greece@parker.com

**HK – Hong Kong**  
Tel: +852 2428 8008

**HU – Hungary**, Budapest  
Tel: +36 1 220 4155  
parker.hungary@parker.com

**IE – Ireland**, Dublin  
Tel: +353 (0)1 466 6370  
parker.ireland@parker.com

**IN – India**, Mumbai  
Tel: +91 22 6513 7081-85

**IT – Italy**, Corsico (MI)  
Tel: +39 02 45 19 21  
parker.italy@parker.com

**JP – Japan**, Tokyo  
Tel: +(81) 3 6408 3901

**KR – South Korea**, Seoul  
Tel: +82 2 559 0400

**KZ – Kazakhstan**, Almaty  
Tel: +7 7272 505 800  
parker.easteurope@parker.com

**LV – Latvia**, Riga  
Tel: +371 6 745 2601  
parker.latvia@parker.com

**MX – Mexico**, Apodaca  
Tel: +52 81 8156 6000

**MY – Malaysia**, Shah Alam  
Tel: +60 3 7849 0800

**NL – The Netherlands**,  
Oldenzaal  
Tel: +31 (0)541 585 000  
parker.nl@parker.com

**NO – Norway**, Ski  
Tel: +47 64 91 10 00  
parker.norway@parker.com

**NZ – New Zealand**, Mt Wellington  
Tel: +64 9 574 1744

**PL – Poland**, Warsaw  
Tel: +48 (0)22 573 24 00  
parker.poland@parker.com

**PT – Portugal**, Leca da Palmeira  
Tel: +351 22 999 7360  
parker.portugal@parker.com

**RO – Romania**, Bucharest  
Tel: +40 21 252 1382  
parker.romania@parker.com

**RU – Russia**, Moscow  
Tel: +7 495 645-2156  
parker.russia@parker.com

**SE – Sweden**, Spånga  
Tel: +46 (0)8 59 79 50 00  
parker.sweden@parker.com

**SG – Singapore**  
Tel: +65 6887 6300

**SK – Slovakia**, Banská Bystrica  
Tel: +421 484 162 252  
parker.slovakia@parker.com

**SL – Slovenia**, Novo Mesto  
Tel: +386 7 337 6650  
parker.slovenia@parker.com

**TH – Thailand**, Bangkok  
Tel: +662 717 8140

**TR – Turkey**, Istanbul  
Tel: +90 216 4997081  
parker.turkey@parker.com

**TW – Taiwan**, Taipei  
Tel: +886 2 2298 8987

**UA – Ukraine**, Kiev  
Tel: +380 44 494 2731  
parker.ukraine@parker.com

**UK – United Kingdom**,  
Warwick  
Tel: +44 (0)1926 317 878  
parker.uk@parker.com

**US – USA**, Cleveland  
Tel: +1 216 896 3000

**VE – Venezuela**, Caracas  
Tel: +58 212 238 5422

**ZA – South Africa**,  
Kempton Park  
Tel: +27 (0)11 961 0700  
parker.southafrica@parker.com

European Product Information Centre  
Free phone: 00 800 27 27 5374  
(from AT, BE, CH, CZ, DE, DK, ES, FI, FR, IE,  
IT, NL, NO, PL, PT, RU, SE, UK, ZA)

BULSPL-00-EN